

Sanodye Golden Orange RLW

Page 1

Substance key: KS8699

Revision Date: 01/15/2014

Version : 2 - 0 / CDN

Date of printing :01/15/2014

WHMIS controlled: no

Section 01 - Product and company identification**Identification of the company:**Clariant (Canada) Inc.
2 Lone Oak Court
Toronto, Ontario, M9C 5R9
Telephone No.: +1 514-832-2559**Information of the substance/preparation:**ESHA
Phone (514) 832 2559, Fax (704) 330 1505
Canada.PS@Clariant.com**Emergency tel. number:** +1 CANUTEC (613) 996-6666

Trade name: Sanodye Golden Orange RLW
Material number: 104123
Chemical family: anionic
azo dyestuff
Primary product use: aluminium dye

Section 02 - Hazards identification**Health effects of exposure:**

Any available toxicological data is shown in Section 11. No other information was found in the public literature for any effects of exposure and no health evaluation is thus possible. Therefore, handle with care and avoid unnecessary exposures.

Listed carcinogen: IARC: No
NTP: No
OSHA: No
Other: No

Section 03 - Composition/information on ingredients**Hazardous ingredients:**

Component	CAS number	Concentration
Hexylene glycol	107-41-5	3 - 7 %

Disclosed for information purposes only.

Component toxicity information:

Hexylene glycol (107-41-5)

Acute oral toxicity: LD50 > 2,000 mg/kg (rat)
Source: Supplier

Acute inhalation toxicity: LC50 (8 h, rat)
Source: Supplier

Sanodye Golden Orange RLW

Page 2

Substance key: KS8699

Revision Date: 01/15/2014

Version : 2 - 0 / CDN

Date of printing :01/15/2014

Acute dermal toxicity: LD50 > 2,000 mg/kg (rat)
Source: Supplier

Section 04 - First aid measures**After inhalation:**

Get victim to fresh air. Give artificial respiration or oxygen if breathing has stopped or is difficult. Get prompt medical attention. Do not give fluids if victim is unconscious.

After contact with skin:

Remove contaminated clothing and wash affected areas with soap and plenty of water for at least 15 minutes. If redness or skin irritation occurs, seek medical attention.

After contact with eyes:

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

After ingestion:

If ingested, do not induce vomiting. Get immediate medical assistance.

Advice to doctor / Treatment:

None known.

Section 05 - Fire fighting measures

Flashpoint: not applicable

Extinguishing media: water
Foam

Special fire fighting procedure:

Cool container and metallic parts with a water spray jet
Set up threefold fire attack, use extinguishants singly or in combination, equip branchman and support team with respiratory protective equipment.

Unusual fire and explosion hazards: Organic dusts have potential to be explosive with static spark or flame initiation. Maintain good housekeeping for control of dust.

Hazardous combustion products:

Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides

Minimum ignition energy : > 1 J
not capable of dust explosion
Method: modified Hartmann tube

Section 06 - Accidental release measures**Steps to be taken in case of spill or leak:**

Wear prescribed protective equipment. Sweep up or shovel into disposal containers using non-sparking tools. Eliminate ignition sources. Wet down with non-reactive liquid if required to limit dusting. If melted, allow to solidify first. Clean up spill location. Must not be released into sewers, drains or wells.

Sanodye Golden Orange RLW

Page 3

Substance key: KS8699

Revision Date: 01/15/2014

Version : 2 - 0 / CDN

Date of printing :01/15/2014

Section 07 - Handling and storage**Advice on safe handling:**

Keep container tightly closed.

Further info on storage conditions:

Keep containers tightly closed in a cool, well-ventilated place.

Keep container tightly closed in a cool, well-ventilated place, open and handle carefully.

Section 08 - Exposure controls / personal protection**Occupational exposure limits:**

Component	CAS number:	Regulatory list	Type of value	Value 1	Value 2
Hexylene glycol	107-41-5	US. Threshold Limit Values (TLV) for Chemical Substances in the Work Environment Adopted Values	Ceiling limit	25 ppm	

Respiratory protection: Respirator with a dust filter**Hand protection:** Rubber or plastic gloves**Eye protection:** Safety glasses with side-shields**Other protective equipment:** Wear clothing suitable to avoid skin contact.**Section 09 - Physical and chemical properties****Form:** Granules**Color:** orange**Odor:** not specified**pH:** 6 - 8 (20 °C, 3 g/l)**Solubility in water:** approximately 100 g/l (20 °C)
soluble**Melting point :** not applicable**Boiling point :** not applicable (1,013 hPa)**Bulk density:** 800 kg/m³**Section 10 - Stability and reactivity****Thermal decomposition:** 270 °C (Heating rate:0.75 K/min)
Method: SANDOZ Radex dynamic decomposition test
Spontaneous decomposition, open cup**Thermal decomposition:** 230 °C
Method: SANDOZ long duration test open cup
Heating rate: 0 K/min, open cup

Sanodye Golden Orange RLW

Page 4

Substance key: KS8699

Revision Date: 01/15/2014

Version : 2 - 0 / CDN

Date of printing :01/15/2014

Chemical stability:	Stable
Hazardous Polymerization:	Hazardous polymerisation does not occur. Conditions to avoid: None known.
Incompatibility with (Conditions to avoid) :	None known.
Hazardous decomposition products	When used and handled as intended, none.

Section 11 - Toxicological information

Acute oral toxicity:	LD50 > 5,000 mg/kg (rat)
Skin irritation:	non-irritant (rabbit) Method: 16CFR1500.41
Eye irritation:	non-irritant (rabbit) Method: 16CFR1500.42

Section 12 - Ecological information

Product information:	
Biodegradation:	approximately 17 % (14 d, TOC) Method: HOECHST method
Fish toxicity:	LC0 100 mg/l (48 h, Oncorhynchus mykiss (rainbow trout)) Method: mod. routine bioassay method of 1.11.74
Bacteria toxicity:	IC50 > 100 mg/l (activated sludge) Method: OECD Test Guideline 209

Remarks:
no data available

Component information:

2-Methylpentane-2,4-diol (107-41-5)

Biodegradation:	81 % (28 d) Readily biodegradable. Source: Supplier
Fish toxicity:	8,510 mg/l (96 h, Gambusia affinis (Mosquito fish)) Source: Supplier
Daphnia toxicity:	EC50 5,410 mg/l (48 h, Daphnia magna (Water flea)) Source: Supplier
Algae toxicity:	IC50 > 429 mg/l (72 h, Selenastrum capricornutum (green algae)) Source: Supplier

Section 13 - Disposal considerations

Sanodye Golden Orange RLW

Page 5

Substance key: KS8699

Revision Date: 01/15/2014

Version : 2 - 0 / CDN

Date of printing :01/15/2014

Waste disposal information:

Can be landfilled or incinerated, when in compliance with local regulations.

Section 14 - Transport information

TDG	not restricted
IATA	not restricted
IMDG	not restricted

Section 15 - Regulatory information**Registration status**

DSL:	yes
NDSL:	no
All components of the product are listed on the DSL/Canada.	

CEPA

Listed as priority substance: no
Listed as toxic substance: no

NPRI no

TSCA Status:

All components of this product are listed on the TSCA Inventory.

FDA:

This product is not registered with the FDA.

Section 16 - Other information

The information contained on this MSDS is to the best of our knowledge an accurate summary of the data available as of the date of preparation. Clariant (Canada) Inc. is not liable for the application or use of this information in situations beyond its control or outside the normal and expected use of its product. Clariant (Canada) Inc. assumes no responsibility for damage or injury from the use of the product described herein.